


Stainless Steel Series



■ RBH-24-1(130)



■ Track Puller



■ RBB-36-1(165)

Model	Carriers Per Head	Heads	Horn gear size in mm	Motor Power	Max.rpm.horn gear	Carrier type	Take-off size/ dia
RBB-16-1(165)	16	1	165	1HP(0.75KW)	160	BB	440
RBB-24-1(165)	24	1	165	1HPX2 (1.5KW)	160	BB	600
RBB-32-1(165)	32	1	165	1.5HPX2 (2.2KW)	160	BB	600
RBB-36-1(165)	36	1	165	1.5HPX2 (2.2KW)	160	BB	600
RBB-48-1(165)	48	1	165	2HPX2(3.0KW)	160	BB	700
RBH-16-1(130)	16	1	130	3/4HP(0.55KW)	210	BH	440
RBH-24-1(130)	24	1	30	1HP(0.75KW)	210	BH	440
RBH-32-1(130)	32	1	130	1HP(0.75KW)	210	BH	600
RBH-36-1(130)	36	1	130	1.5HP(1.1KW)	210	BH	600
RBH-48-1(130)	48	1	130	1HPX2 (1.5KW)	210	BH	700

Just Braid!
We back you UP!

Tube & Hose Series



RB-24-1(130)S



RB-24&24-1(130)



Model	Carriers Per Head	Heads	Horn gear size in mm	Motor Power	Max.rpm.horn gear	Carrier type	Take-off size/ dia
RB(BF)-16-1(130)	16	1	130	3/4HP(0.55KW)	270	B.BF	440 mm
RB(BF)-16-2(130)	16	2	130	1HP(0.75KW)	270	B.BF	440 mm
RB(BF)-24-1(130)	24	1	130	1HP(0.75KW)	270	B.BF	440 mm
RB(BF)-32-1(130)	32	1	130	1HP(0.75KW)	270	B.BF	600 mm
RB(BF)-36-1(130)	36	1	130	1.5HP(1.1KW)	270	B.BF	600 mm
RB(BF)-48-1(130)	48	1	130	1HPX2(1.5KW)	270	B.BF	700 mm
RB(BF)-64-1(130)	64	1	130	1HPX2(1.5KW)	270	B.BF	800 mm
RB(BF)-24&24-1(130)	24	1	130	1HPX2(1.5KW)	270	B.BF	440 mm
RB(BF)-32&32-1(130)	32	1	130	1HPX2(1.5KW)	270	B.BF	600 mm
RB(BF)-48&48-1(130)	48	1	130	1HPX4(3.0KW)	270	B.BF	700 mm
RA-16-2(90)	16	2	90	1/2HP(0.37KW)	360	A	-
RA-24-2(90)	24	2	90	3/4HP(0.55KW)	360	A	-
RA-24-2(90)S	24	2	90	3/4HP(0.55KW)	360	A	420 mm

Horizontal Braiding Machine



RBH-48-1(130)H

- For straight braiding.
- Max OD:70mm.
- Speed adjustable on track puller.

Braiding Machine

Model No.	RBH-48-1(130)H	Machine size in mm	1570X1550X1820
Carriers per head	48	Motor power	1.5HPX2
Heads	1	Max.rpm.horn gear	216
Horn gear size in mm	130		


Track Puller

Size in mm	1230X480X1370	Motor Power	1HPX1
------------	---------------	-------------	-------

Just Braid!
We back you UP!

Bobbin Winder Series

HC-01 BBS
Semi-Automatic Stainless Steel Winder Set




HC-01 B
Automatic Wefting Bobbin Winder



1470 * 1220 * 1520 mm

Optional Devices

HC-OP 2 / Take Up Drum




- Dimension:
- Φ 600 * W385 mm (Max W: 450 mm)
- Φ 800 * W385 mm (Max W: 450 mm)

HC-OP 10 / Individual Take Up Drum



- Drum Dimension: Φ1250 * 950 mm
- Electrically controlled for lifting
- Simple Tension Adjustment
- Available for adjustment of target length.
- Customised size available.

HC-OP 6 / Half Cover



Carriers



BB



BH



B



BF